

CARBOHYDRATE RESEARCH, VOL. 179 (1988)

AUTHOR INDEX

- AHRENS, R., 223
 ALBERSHEIM, P., 269
 ALTMAN, E., 245
 ANDERSON, L., 199
 ANGYAL, S. J., 1
 ASPINALL, G. O., 211
 AUZANNEAU, F.-I., 125
- BETANELI, V. I., 37
 BEYNON, L. M., 419
 BOCK, K., 87, 97
 BRADE, H., 223, 289
 BREG, J., 411
 BRIMACOMBE, J. S., 21
 BRISSON, J.-R., 233, 245
 BRUKHANOVA, O. V., 37
 BUGGE, B., 381
- CHARON, D., 125
 CHOAY, J., 163
 CLASSON, B., 31
 CONTRERAS, R. R., 411
 CRAIG, S. A. S., 327
 CUMMING, D. A., 369
- DARVILL, A. G., 269
 DASHUNIN, V. V., 51
 DE JONGH-LEUVENINK, J., 289
 DELL, A., 7
 DI FABIO, J. L., 233
 DMITRIEV, B. A., 51
 DUCHAUSSOY, P., 163
 DUTTON, G. G. S., 419
- EATON, H. L., 393
 EKIEL, I., 349
- FERNANDEZ-BOLAÑOS GUZMAN, J., 97
- GAREGG, P. J., 31
 GOUSSAULT, Y., 381
- HAKOMORI, S., 393
 HANAI, N., 393
 HELLERQVIST, C., 369
 HELPAP, B., 173
 HINDSGAUL, O., 137
 HOFMAN, I. L., 51
 HUCKERBY, T. N., 7
- ICHIKAWA, H., 315
 ISHIDO, Y., 77
- JANN, B., 223
 JANN, K., 223
 JANSSON, P.-E., 359
 JEANLOZ, R. W., 381
 JENNINGS, H. J., 61
 JOSELEAU, J.-P., 321
- KABIR, A. K. M. S., 21
 KACA, W., 289
 KAMERLING, J. P., 411
 KATZENELLENBOGEN, E., 349
 KENNE, L., 359
 KHONDO, L., 211
 KINNEAR, J. A., 211
 KNIREL, Y. A., 51
 KOBAYASHI, K., 315
 KOCHETKOV, N. K., 37, 51
 KÖLL, P., 1
- LEDERMAN, I., 163
 LEVERY, S. B., 393
 LINDH, I., 31
 LORENTZEN, J. P., 173
 LUNDT, I., 87
- MANNERS, D. J., 327
 MARAIS, M.-F., 321
 McDONALD, A. M. L., 327
 MÉRIENNE, C., 125
- NAKABAYASHI, S., 381
 NALEWAY, J. J., 199
 NIEDUSZYNSKI, I. A., 7
 NIEMANN, H., 301
 NORES, G. A., 393
 NORRESTAM, R., 97
- OTT, A. Ya., 37
 OXLEY, D., 341
- PAINTER, T. J., 259
 PAROLIS, H., 301
 PAROLIS, L. A. S., 301
 PAULSEN, H., 173
 PEDERSEN, C., 87
 PERRY, M. B., 233, 245

PETITOU, M., 163
PIERCE, M., 137
POSZGAY, V., 61

RAETZ, C. R. H., 199
RIETSCHER, E. T., 289
ROGERS, M. E., 7
ROMANOWSKA, E., 349

SAKAKIBARA, T., 77
SALYAN, M. E. K., 393
SANDERSON, P. N., 7
SCHUERCH, C., 315
SHASHKOV, A. S., 51
SHOREIBAH, M., 137
SINAY, P., 163
SINNELL, V., 289
SRIVASTAVA, O. P., 137
STARK, J. R., 327

STEVENSON, T. T., 269
STIRM, S., 301
SUMITOMO, H., 315
SZABÓ, L., 125

THOMAS-OATES, J. E., 7
TOUSTER, O., 369

VERHOEF, J., 289
VLIEGENTHART, J. F. G., 411

WARREN, C. D., 381
WEHLER, T., 359
WILKINSON, S. G., 341

YAMAMOTO, A., 77

ZÄHRINGER, U., 289

CARBOHYDRATE RESEARCH, VOL. 179 (1988)

SUBJECT INDEX

- N*-Acetylglucosaminyltransferase-V, recognition of oligosaccharide substrates by, 137
- Alkyl glycopyranuronates, synthesis of 1,2-*O*-cyanoethylidene derivatives of, by oxidation of the 6-trityl ethers of their hexose analogues, 37
- 4-Amino-4-deoxy-L-arabinose and 1,4-dideoxy-1,4-imino-L-arabinitol, a convenient synthesis of, 199
- 7-*O*-(2-Amino-2-deoxy- α -D-glycopyranosyl)-L-glycero-D-manno-heptose as a constituent of lipopolysaccharides of *E. coli* and *V. cholerae*, isolation and chemical analysis of, 289
- 1,6-Anhydrohexofuranoses, n.m.r. spectra of, 1
- Antigen, synthesis of a di-, tri-, and tetrasaccharide unit of the Group B streptococcal common, 61
- Base-catalysed rearrangement of some bromodeoxyheptonolactones, 87
- Binding of heparin to antithrombin III, a chemical proof of the critical role played by a 3-sulfated 2-amino-2-deoxy-D-glucose residue in the, 163
- Bromodeoxyheptonolactones, base-catalysed rearrangement of some, 87
- Capsular polysaccharide of *Streptococcus pneumoniae*, synthesis of trisaccharide repeating units of, 173
- Chemical proof of the critical role played by a 3-sulfated 2-amino-2-deoxy-D-glucose residue in the binding of heparin to antithrombin III, 163
- Citrobacter* O23-lipopolysaccharide, the structure of the O-specific polysaccharide chain from, 349
- Control of depolymerisation during the preparation of reduced dialdehyde cellulose, 259
- 1,2-*O*-Cyanoethylidene derivatives of alkyl glycopyranuronates, synthesis of, by oxidation of the 6-trityl ethers of their hexose analogues, 37
- 3-Deoxy-D-lyxo-2-heptulosaric acid, a component of the plant cell-wall polysaccharide rhamnogalacturonan-II, 269
- Dialdehyde cellulose, control of depolymerisation during the preparation of reduced, 259
- 1,4-Dideoxy-1,4-imino-L-arabinitol, a convenient synthesis of 4-amino-4-deoxy-L-arabinose and, 199
- Dolichyl diphosphate tetrasaccharide, synthetic, as precursor of lipid-linked oligosaccharide diphosphates, 381
- E. coli* K26 capsular polysaccharide, structural studies of, using g.l.c.-c.i.-m.s., 419
- Fast-atom bombardment mass-spectrometric strategies for sequencing sulphated oligosaccharides, 7
- Furanosidic β -KDO residue, structure of the *Escherichia coli* capsular K74 polysaccharide containing, 223
- Galactomannan from the reference strain for *Serratia marcescens* serogroup O4, structural studies of an acidic, 341
- Glucuronic acid, identification of 4-*O*-[(*S*)-1-carboxyethyl]-D-, as a component of the *Klebsiella* serotype K22 capsular polysaccharide, 301
- Glycogens, the iodine-staining properties and fine structure of some mammalian and invertebrate, 327
- Glycosiduronic acid linkages in methylated *Khaya ivorensis* gum, cleavage of modified, using the hex-5-enose degradation, 211
- Haemophilus influenzae* type a capsular antigen, synthesis of *p*-trifluoroacetamidophenyl β -D-glucopyranoside 4-(D-ribose-5-yl phosphate) corresponding to the, 31
- Haemophilus pleuropneumoniae* serotype 3 (ATCC 27090) lipopolysaccharide, structure of the O-antigen polysaccharide of, 245
- Hex-2-enopyranoside, reactions with sodium methoxide of methyl and phenyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C-p*-tolylsulfonyl- α -D-erythro-, 77
- Hex-5-enose degradation, cleavage of modified glycosiduronic acid linkages in methylated *Khaya ivorensis* gum, using the, 211
- Hexofuranoses, 1,6-anhydro-, n.m.r. spectra of, 1
- Higher-carbon sugars, on the stereochemistry of osmium tetroxide oxidations of allylic systems used in the synthesis of, 21
- Identification of the primary structures of manno-oligosaccharides and glycopeptides, on the utility of ^{13}C -n.m.r. spectroscopy in the, 369
- Iodine-staining properties and fine structure of some mammalian and invertebrate glycogens, 327

- Isolation and chemical analysis of 7-*O*-(2-amino-2-deoxy- α -D-glucopyranosyl)-L-glycero-D-manno-heptose as a constituent of lipopolysaccharides of *E. coli* and *V. cholerae*, 289
- Khaya ivorensis* gum, cleavage of modified glycosiduronic acid linkages in methylated, using the hex-5-enose degradation, 211
- Klebsiella* serotype K22 capsular polysaccharide, determination of the primary structure of the, 301
- Klebsiella* serotype K48, the structural repeating-unit of the capsular polysaccharide from, 321
- Lactones of 3-deoxy-D-manno-2-octulopyranosonic acid (KDO), synthesis of 1,5-, 125
- Lipid-linked oligosaccharide diphosphates, biosynthesis from synthetic dolichyl diphosphate tetrasaccharide, 381
- Lipopolysaccharide antigenic O-chain produced by *Salmonella carrau* (O: 6, 14, 24), structure of the major, 233
- Lipopolysaccharides of *E. coli* and *V. cholerae*, isolation and chemical analysis of 7-*O*-(2-amino-2-deoxy- α -D-glucopyranosyl)-L-glycero-D-manno-heptose, as a constituent of, 289
- Lyso-GM₃ (II³Neu5Ac lactosyl sphingosine), de-N-acetyl-GM₃ (II³NeuNH₂ lactosyl Cer), and related compounds, synthesis and characterization of, 393
- Mammalian and invertebrate glycogens, the iodine-staining properties and fine structure of some, 327
- Manno-oligosaccharides and glycopeptides, on the utility of ¹³C-n.m.r. spectroscopy in the identification of the primary structures of, 369
- Mass-spectrometric strategies for sequencing sulphated oligosaccharides, fast-atom-bombardment, 7
- Methyl 3-*O*-[α -L (and D)-rhamnopyranosyl]mal-toside derivatives, synthesis and conformational analysis of, 97
- Methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C-p*-tolylsulfonyl- α -D-erythro-hex-2-enopyranoside and its phenyl analogues, reactions with sodium methoxide of, 77
- Methyl α -D-galactopyranosides, ¹H- and ¹³C-n.m.r. spectroscopy of synthetic monosulphated, 411
- Monosulphated methyl α -D-galactopyranosides, ¹H- and ¹³C-n.m.r. spectroscopy of synthetic, 411
- N.m.r. spectroscopy in the identification of the primary structures of manno-oligosaccharides and glycopeptides, on the utility of ¹³C-, 369
- N.m.r. spectroscopy of synthetic monosulphated methyl α -D-galactopyranosides, ¹H- and ¹³C-, 411
- N.m.r. study of some *Shigella flexneri* O-polysaccharides, a ¹³C-, 359
- Octulopyranosonic acid (KDO), synthesis of 1,5-lactones of 3-deoxy-D-manno-2-, 125
- Oligosaccharide diphosphates, lipid-linked, biosynthesis from synthetic dolichyl diphosphate tetrasaccharide, 381
- Oligosaccharide substrates, recognition of, by N-acetylglucosaminyltransferase-V, 137
- Osmium tetroxide oxidations of allylic systems used in the synthesis of higher-carbon sugars, on the stereochemistry of, 21
- Polysaccharide chain from *Citrobacter* O23-lipopolysaccharide, the structure of the O-specific, 349
- Polysaccharide chain of the *Shigella dysenteriae* type 7 lipopolysaccharide, structure of the O-specific, 51
- Polysaccharide containing furanosidic β -KDO residues, structure of the *Escherichia coli* capsular K74, 223
- Polysaccharide from *Klebsiella* serotype K48, the structural repeating-unit of the capsular, 321
- Polysaccharide of *Haemophilus pleuropneumoniae* serotype 3 (ATCC 27090) lipopolysaccharide, structure of the O-antigen, 245
- Polysaccharide rhamnogalacturonan-II, identification of 3-deoxy-D-lyxo-2-heptulosaric acid as a component of the plant cell-wall, 269
- Polysaccharide, structural studies of *E. coli* K26 capsular, using g.l.c.-c.i.-m.s., 419
- Polysaccharide, synthesis of a β -(1 \rightarrow 6)-linked, *via* ring-opening polymerization with neighbouring-group participation, 315
- Polysaccharides, a ¹³C-n.m.r. study of some *Shigella flexneri* O-, 359
- Preparation of reduced dialdehyde cellulose, control of depolymerisation during the, 259
- Reactions of methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C-p*-tolylsulfonyl- α -D-erythro-hex-2-enopyranoside and its phenyl analogue with sodium methoxide, 77
- Rearrangement of some bromodeoxyheptonolactones, base-catalysed, 87
- Recognition of oligosaccharide substrates by N-acetylglucosaminyltransferase-V, 137
- Rhamnogalacturonan-II, identification of 3-deoxy-D-lyxo-2-heptulosaric acid as a component of the plant cell-wall polysaccharide, 269
- Ring-opening polymerization with neighbouring-group participation, synthesis of a β -(1 \rightarrow 6)-linked polysaccharide *via*, 315

- Salmonella carrau* (O: 6, 14, 24), structure of the major lipopolysaccharide antigenic O-chain produced by, 233
- Serratia marcescens* serogroup O4, structural studies of an acidic galactomannan from the reference strain for, 341
- Shigella dysenteriae* type 7 lipopolysaccharide, structure of the O-specific polysaccharide chain of the, 51
- Shigella flexneri* O-polysaccharides, a ^{13}C -n.m.r. study of some, 359
- Stereochemistry of osmium tetroxide oxidations of allylic systems used in the synthesis of higher-carbon sugars, 21
- Streptococcal common antigen, synthesis of a di-, tri-, and tetra-saccharide unit of the Group B, 61
- Streptococcus pneumoniae*, synthesis of trisaccharide repeating units of the capsular polysaccharide of, 173
- Structural repeating-unit of the capsular polysaccharide from *Klebsiella* serotype K48, 321
- Structural studies of an acidic galactomannan from the reference strain for *Serratia marcescens* serogroup O4, 341
- Structural studies of *E. coli* K26 capsular polysaccharide, using g.l.c.-c.i.-m.s. 419
- Structure of *Klebsiella* serotype K22 capsular polysaccharide: another glycan containing 4-O-[(S)-1-carboxyethyl]-D-glucuronic acid, 301
- Structure of the K74 antigen from *Escherichia coli* O44:K74:H18, a capsular polysaccharide containing furanosidic β -KDO residues, 223
- Structure of the major lipopolysaccharide antigenic O-chain produced by *Salmonella carrau* (O:6, 14, 24), 233
- Structure of the O-antigen polysaccharide of *Haemophilus pleuropneumoniae* serotype 3 (ATCC 27090) lipopolysaccharide, 245
- Structure of the O-specific polysaccharide chain from *Citrobacter* O23-lipopolysaccharide, 349
- Structure of the O-specific polysaccharide chain of the *Shigella dysenteriae* type 7 lipopolysaccharide, 51
- 3-Sulfated 2-amino-2-deoxy-D-glucose residue, a chemical proof of the critical role in the binding of heparin to antithrombin III played by a, 163
- Sulphated oligosaccharides, fast-atom-bombardment mass-spectrometric strategies for sequencing, 7
- Synthesis and characterization of lyso-GM₃ (II³Neu5Ac lactosyl sphingosine), de-N-acetyl-GM₃(II³NeuNH₂ lactosyl Cer), and related compounds, 393
- Synthesis and conformational analysis of methyl 3-O-[α -L (and D)-rhamnopyranosyl]maltoside derivatives, 97
- Synthesis of a di-, tri-, and tetra-saccharide unit of the Group B Streptococcal common antigen, 61
- Synthesis of a β -(1 \rightarrow 6)-linked polysaccharide via ring-opening polymerization with neighbouring-group participation, 315
- Synthesis of 4-amino-4-deoxy-L-arabinose and 1,4-dideoxy-1,4-imino-L-arabinitol, a convenient, 199
- Synthesis of 1,5-lactones of 3-deoxy-D-manno-2-octulopyranosonic acid (KDO), 125
- Synthesis of 1,2-O-cyanoethylidene derivatives of alkyl glycopyranuronates by oxidation of the 6-trityl ethers of their hexose analogues, 37
- Synthesis of p-trifluoroacetamidophenyl β -D-glucopyranoside 4-(D-ribose-5-yl phosphate) corresponding to the *Haemophilus influenzae* type a capsular antigen, 31
- 2,3,5-Tri-O-acetyl-1,6-anhydrohexofuranoses, ^{13}C -n.m.r. spectra of, 1
- p-Trifluoroacetamidophenyl β -D-glucopyranoside 4-(D-ribose-5-yl phosphate) corresponding to the *Haemophilus influenzae* type a capsular antigen, synthesis of, 31
- Trisaccharide having the central glucopyranose residue in the $^1\text{C}_4$ conformation, synthesis of a branched, 97
- Trisaccharide repeating units of capsular polysaccharide of *Streptococcus pneumoniae*, synthesis of, 173